VOLUME CONTENTS

Number 1

S. A. Spiewak	1	Acceleration based indirect force measurement in metal cutting processes
Zhang Deyuan, Han Yuntai and Chen Dingchang	19	On-line detection of tool breakages using telemetering of cutting forces in milling
Jih-Hua Chin and Li-Wei Lee	29	A study on the tool eigenproperties of a BTA deep hole drill—theory and experiments
Jeong-Du Kim and Min-Seog Choi	51	Stochastic approach to experimental analysis of cylindrical lapping process
H. G. Zhang and T. A. Dean	61	Computer modelling of tool loads and press/tool deflections in multistage forging
J. Wang and P. Mathew	71	Development of a general tool model for turning operations based on a variable flow stress theory
S. G. Tewani, K. E. Rouch and B. L. Walcott	91	A study of cutting process stability of a boring bar with active dynamic absorber
S. Paul and A. B. Chattopadhyay	109	A study of effects of cryo-cooling in grinding
N. Barlow, M. J. Jackson, B. Mills and W. B. Rowe	119	Optimum clamping of C.B.N. and conventional vitreous-bonded cylindrical grinding wheels

Number 2

K. J. Stout	133	Foreword and Acknowledgement
A. J. C. Brown	135	Rapid optical measurement of surfaces
B. Griffiths, R. Middleton and B. Wilkie	141	Three-dimensional surface measurement using light scattering
L. Deck and P. de Groot	147	High-speed non-contact profiler based on scanning white light interferometry
Ph. Contet and J.-F. Ville	151	Surfascan 3D—an industrial 3D surface texture characterisation instrument
M. S. Virdee	157	Non-contacting straightness measurement to nanometre accuracy
P. H. Osanna, K. Rezaie, N. M. Durakbasa and C. P. Heiss	165	Form measurements—a bridge between production metrology and biomechanics
X. Roizard and J. von Stebut	169	Surface asperity flattening in sheet metal forming—a 3-D relocation stylus profilometric study
D. Darbeïda, J. von Stebut, M. Assoul and J. Mignot	177	A multipass/scanning tribometer for on-line friction and wear mapping
K. Yanagi, N. Kobayashi and K. Kasahara	183	The allowable spacing for lattice data sampling by a round stylus tip and an assessment of the envolope surface
D. L. Martin, A. N. Tabenkin and F. G. Parsons	187	Precision spindle and bearing error analysis
T. Mathia, H. Zahouani, J. Rousseau and J. C. le Bosse	195	Functional significance of different techniques for surface morphology measurements
G. Zhou, M. Leu and D. Blackmore	203	Fractal geometry modeling with applications in surface characterisation and wear prediction
J. Lopez, G. Hansali, H. Zahouani, J. C. le Bosse and T. Mathia	211	3D fractal-based characterisation for engineered surface topography

K. J. Stout and L. A. Blunt 219 Application of 3-D topography to bio-engineering

X. Chen, J. Raja and S. Simanapalli 231 Multi-scale analysis of engineering surfaces

T. Y. Lin, S. H. Lu and K. J. Stout 239 Model-based topography characterisation of machined surfaces in three dimensions

T. G. King and N. E. Houghton 247 Describing distribution shape: R_k and central moment approaches compared

J. M. Conway-Jones and D. R. Eastham 253 Parameters for control of roughness of surfaces operating with thin oil films

F. Robert, E. Csapo, H. Zaïdi and D. Paulmier 259 Influence of the current and environment on the superficial structure of a graphite electrical collector

W. P. Dong, E. Mainsah and K. J. Stout 263 Reference planes for the assessment of surface roughness in three dimensions

M. Vermeulen, J. Scheers, C. de Mare and B. de Cooman 273 3D-characterisation of EBT-steel sheet surfaces

E. Mainsah, W. Dong and K. J. Stout 281 Holistic calibration of three-dimensional micro-topography systems

P. Rubert 289 Some problems with the calibration of surface roughness reference specimens

P. Sullivan and C. Evans 293 A method for the spatial calibration of a commercial phase measuring interferometer—theoretical aspects

J. F. Song, F. F. Rudder Jr, T. V. Vorburger, A. W. Hartman, B. R. Scace and J. H. Smith 301 Microform calibrations in surface metrology

T. C. Ovaert and S. Ramachandra 311 The effect of controlled counterface topography on polymer transfer and wear

B.-G. Rosén, R. Ohlsson and J. Westberg 317 Interactive surface modelling, an implementation of an expert system for specification of surface roughness and topography

E. Morrison 325 A prototype scanning stylus profilometer for rapid measurement of small surface areas

J. Muhl and G. M. Alder 333 Direct printing of etch masks under computer control

M. Waplington, L. Blunt, A. D. Walmsley and P. J. Lumley 339 Dental hard tissue cutting characteristics of an ultrasonic drill

I. Aydin, B. J. Briscoe and N. Özkan 345 3-D profiles and surface topography of alumina compacts

B. Snaith, A. S. Hayward and A. Draper 353 Variation of surface topographies produced via a deburring process

G. Wei and W. Scott 357 The influence of surface roughness on the results of the Timken lubricant extreme pressure test

Number 3

L. C. Zhang 363 On the mechanism of cold rolling thin foil

L. C. Lee, X. D. Liu and K. Y. Lam 373 Determination of stress distribution on the tool rake face using a composite tool

Di Yan, T. I. El-Wardany and M. A. Elbestawi 383 A multi-sensor strategy for tool failure detection in milling

Jen-Ming Chen and Jose A. Ventura 399 Shape analysis of complex profiles

G. J. Lai and J. Y. Chang 431 Stability analysis of chatter vibration for a thin-wall cylindrical workpiece

Yi-Hua Fan and An-Chen Lee 445 Decentralized control of a rotor system supported by magnetic bearings

Erhan Budak and Yusuf Altintas 459 Modeling and avoidance of static form errors in peripheral milling of plates

HYUNG-SEOK LEE and SEUNG-WOO KIM 477 Real-time correction of movement errors of a machine axis by multiple null-balancing using Twyman–Green interferometry

H. EKEROL and D. C. HODGSON 487 Non-contacting control of objects by pulse width modulated air-jet actuators and optical position feedback

Number 4

H. NASRI and G. BOLMSJÖ 503 A process model for robotic disc grinding

CHING-CHIH TAI and KUANG-HUA FUH 511 Model for cutting forces prediction in ball-end milling

J. TOMKÓW and K. MARCHELEK 535 Modelling cutting process in dynamic stability analysis of machine tools

V. P. ASTAKHOV, P. S. SUBRAMANYA and M. O. M. OSMAN 547 An investigation of the cutting fluid flow in self-piloting drills

Y. S. TARNG and H. E. CHENG 565 An investigation of stick–slip friction on the contouring accuracy of CNC machine tools

SHIUH-JER HUANG and CHUEN-CHUNG CHEN 577 Application of self-tuning feed-forward and cross-coupling control in a retrofitted milling machine

JENQ-SHYONG CHEN 593 Computer-aided accuracy enhancement for multi-axis CNC machine tool

J. P. WANG and Y. T. LIN 607 The UBST approach to the stress analysis of plane-strain upsetting

ZONE-CHING LIN and WEN-SHY YANG 619 Rolling process analysis of aluminum strip by a coupled thermo-elastic–plastic model

SHIUH-TARNG CHIANG, DING-I LIU, AN-CHEN LEE and WEI-HUA CHIENG 637 Adaptive control optimization in end milling using neural networks

Number 5

N. RAMESH BABU and V. RADHAKRISHNAN 661 Influence of dressing feed on the performance of laser dressed Al_2O_3 wheel in wet grinding

P. DI PIETRO and Y. L. YAO 673 A numerical investigation into cutting front mobility in CO_2 laser cutting

S. HINDUJA, Y. S. MA and G. BARROW 689 Determination of the radial width of cut and cutting modes in milling

R. BHATNAGAR, N. RAMAKRISHNAN, N. K. NAIK and R. KOMANDURI 701 On the machining of fiber reinforced plastic (FRP) composite laminates

L. L. MISHNAEVSKY, JR 717 Mathematical modelling of wear of cemented carbide tools in cutting brittle materials

P. S. HUANG and J. NI 725 On-line error compensation of coordinate measuring machines

A. EL-DOMIATY and M. A. SHABARA 739 Improvement of deep drawability by radially pressurized fluid

JEHNMING LIN 751 Inverse estimation of the tool–work interface temperature in end milling

R. T. COELHO, S. YAMADA, D. K. ASPINWALL and M. L. H. WISE 761 The application of polycrystalline diamond (PCD) tool materials when drilling and reaming aluminium based alloys including MMC

Number 6

A. Noori-Khajavi and R. Komanduri — 775 Frequency and time domain analyses of sensor signals in drilling—I. Correlation with drill wear

A. Noori-Khajavi and R. Komanduri — 795 Frequency and time domain analyses of sensor signals in drilling—II. Investigation on some problems associated with sensor integration

G. Caprino and V. Tagliaferri — 817 Damage development in drilling glass fibre reinforced plastics

G. Caprino, V. Tagliaferri and L. Covelli — 831 Cutting glass fibre reinforced composites using CO_2 laser with multimodal–Gaussian distribution

S. M. Darwish — 841 Effect of tool bit insert-holder assembly on dimensional accuracy and geometrical tolerances of machined workpieces

Ken-Ichiro Mori, Gang Yang and Kozo Osakada — 851 Determination of optimal motion of tools in metal forming processes by controlled FEM simulation

Hong-Tzong Yau and Chia-Hsiang Menq — 861 Automated CMM path planning for dimensional inspection of dies and molds having complex surfaces

W. L. Jin, P. K. Venuvinod and X. Wang — 877 An optical fibre sensor based cutting force measuring device

Yaw-Shih Shieh and An-Chen Lee — 885 A new sampled-data drive for CNC machine tools

B. Bennani and J. Oudin — 903 Backward can extrusion of steels: effects of punch design on flow mode and void volume fraction

X. D. Fang — 913 Expert system-supported fuzzy diagnosis of finish-turning process states

Number 7

Joong-Yeon Lim and Shiro Kobayashi — 925 Process sequence design in cold extrusion to form an axisymmetric shell body

Y. S. Tarng, C. I. Cheng and J. Y. Kao — 939 Modeling of three-dimensional numerically controlled end milling operations

B. Y. Lee, Y. S. Tarng and S. C. Ma — 951 Modeling of the process damping force in chatter vibration

Sujian Huang and C. W. Bert — 963 Collapse of a tube in a single-V-groove drawing block: an approximate analysis

Kuang-Hua Fuh and Wen-Chou Chen — 975 Cutting performance of thick web drills with curved primary cutting edges

P. Di Pietro and Y. L. Yao — 993 A new technique to characterize and predict laser cut striations

M. J. Van Doren and A. Slocum — 1003 Design and implementation of a precision material handling robot control system

M. Rahman, K. H. W. Seah, X. P. Li and X. D. Zhang — 1015 A three-dimensional model of chip flow, chip curl and chip breaking under the concept of equivalent parameters

Z. J. Pei, P. M. Ferreira and M. Haselkorn — 1033 Rotary ultrasonic machining for face milling of ceramics

B. S. Yilbaş, A. Z. Şahin and R. Davies — 1047 Laser heating mechanism including evaporation process initiating laser drilling

J. S. Chen and G. Chiou — 1063 Quick testing and modeling of thermally-induced errors of CNC machine tools

1075 Book review

Number 8

E. Susič and I. Grabec 1077 Application of a neural network to the estimation of surface roughness from AE signals generated by friction process

R. K. Chin and P. S. Steif 1087 A computational study of strain inhomogeneity in wire drawing

Shyh-Chour Huang 1099 Analysis of a model to forecast thermal deformation of ball screw feed drive systems

K. Kondo and K. Ohga 1105 Precision cold die forging of a ring gear by divided flow method

D. T. Pham and E. J. Bayro-Corrochano 1115 Neutral networks for classifying surface defects on automotive valve stem seals

M. Bayramoglu and A. W. Duffill 1125 Manufacturing linear and circular contours using CNC EDM and frame type tools

I. N. Tansel, C. Mekdeci and C. McLaughlin 1137 Detection of tool failure in end milling with wavelet transformations and neural networks (WT–NN)

Ee Meng Lim, Hsi-Yung Feng, Chia-Hsiang Menq and Zhi-Hang Lin 1149 The prediction of dimensional error for sculptured surface productions using the ball-end milling process. Part 1: chip geometry analysis and cutting force prediction

Ee Meng Lim and Chia-Hsiang Menq 1171 The prediction of dimensional error for sculptured surface productions using the ball-end milling process. Part 2: surface generation model and experimental verification

Kuang-Hua Fuh and Chih-Fu Wu 1187 A proposed statistical model for surface quality prediction in end-milling of Al alloy

Number 9

S. C. Lin and R. J. Yang 1201 Force-based model for tool wear monitoring in face milling

Shyr-Long Jeng, Long-Gwai Chen and Wei-Hua Chieng 1213 Analysis of minimum clamping force

Guoqun Zhao, E. Wright and R. V. Grandhi 1225 Forging preform design with shape complexity control in simulating backward deformation

M. Stöck 1241 Discussion of stress distributions in rock drill heads

Ip Kee Hui and B. Ralph 1251 A study of the initiation of the tombstoning effect on leadless chips

Min S. Hong and K. F. Ehmann 1269 Generation of engineered surfaces by the surface-shaping system

J. G. Giménez and F. J. Nieto 1291 A step by step approach to the dynamic behaviour of centreless grinding machines

J. E. Kaye, D.-H. Yan, N. Popplewell and S. Balakrishnan 1309 Predicting tool flank wear using spindle speed change

A. K. Srivastava, S. C. Veldhuis and M. A. Elbestawi 1321 Modelling geometric and thermal errors in a five-axis CNC machine tool

Number 10

J. Tamaki and T. Kitagawa 1339 Evaluation of surface topography of metal-bonded diamond wheel utilizing three-dimensional profilometry

Ping Ji, Mingyang Ke and R. S. Ahluwalia 1353 Computer-aided operational dimensioning for process planning

Zong-Mu Yeh, Y. S. Tarng and C. Y. Nian 1363 A self-organizing neural fuzzy logic controller for turning operations

P. Venkateswara Rao, B. Ramamoorthy and V. Radhakrishnan 1375 Role of interacting surfaces in the performance enhancement of interference fits

Taysir H. Nayfeh, Osama K. Eyada and John C. Duke, jr — 1385 An integrated ultrasonic sensor for monitoring gradual wear on-line during turning operations

Liangchi Zhang and M. Mahdi — 1397 Applied mechanics in grinding—IV. The mechanism of grinding induced phase transformation

Beom-Soo Kang, Jin-Hee Lee and Shiro Kobayashi — 1411 Superplastic forging design of a jet engine disk by the finite element method

W. M. Hwang, Y. C. Hwang and S. T. Chiou — 1425 A drag-link drive of mechanical presses for precision drawing

S. K. Choudhury and J. Mathew — 1435 Investigations of the effect of non-uniform insert pitch on vibration during face milling

W. König, Y. Altintas and F. Memis — 1445 Direct adaptive control of plunge grinding process using acoustic emission (AE) sensor

R. Kovacevic, C. Cherukuthota and M. Mazurkiewicz — 1459 High pressure waterjet cooling/lubrication to improve machining efficiency in milling

K. H. W. Seah and S. C. Sharma — 1475 Machinability of alloyed austempered ductile iron

Number 11

R. Balendra and Y. Qin — 1481 Pressured-assisted injection forging of thick-walled tubes

K. Li and P. Sheng — 1493 Plane stress model for fracture of ceramics during laser cutting

Han-Min Shi and Jane-Lin Wang — 1507 A model for non-free-cutting

A. Donovan and W. Scott — 1523 On-line monitoring of cutting tool wear through tribo emf analysis

R. Ye Lapovok and P. F. Thomson — 1537 An approach to preform design

S. Charles Liu and S. Jack Hu — 1545 An offset finite element model and its applications in predicting sheet metal assembly variation

Kuang-Hua Fuh and Chung-Shin Chang — 1559 Prediction of the cutting forces for chamfered main cutting edge tools

Zhengwen Yang and H. Lippmann — 1587 Asymptotic analysis of extrusion process through tapering die

1603 Announcement

Number 12

Yuedong Chen, A. Hui and R. Du — 1605 A fuzzy expert system for the design of machining operations

D. H. Wang, M. Ramulu and D. Arola — 1623 Orthogonal cutting mechanisms of graphite/epoxy composite. Part I: unidirectional laminate

D. H. Wang, M. Ramulu and D. Arola — 1639 Orthogonal cutting mechanisms of graphite/epoxy composite. Part II: multi-directional laminate

Yih-Fang Chang and Bor-Sen Chen — 1649 A robust performance variable structure PI/P control design for high precise positioning control systems

Chih-Hao Lo, Jingxia Yuan and Jun Ni — 1669 An application of real-time error compensation on a turning center

Ji Zhao, K. Saito, T. Kondo, H. Narahara, S. Igarashi, T. Sasaki and Lei Zhang — 1683 A new method of automatic polishing on curved aluminium alloy surfaces at constant pressure

Y. S. Tarng, S. C. Ma and L. K. Chung — 1693 Determination of optimal cutting parameters in wire electrical discharge machining